				ē			~ ~ ~ ~ ~ ~				
- :					REVISIONS -	TO SPARE PARTS EXHIBITA					
AMENC	MENT OR	AMENDMENT (OR CHANGE ORDER) NO.	RDER) NO.	TO CONTRACT			TYPE OR	MODEL OF	ARTICLE	PAGES	
· APPH	:0VED 6/:	28/57			RA1076	Exhibit D Dated 3/3/57 To AMENDMENT NO.	PC-210A	A Radan Navigation	ion Depot Spares	res	
7	10 N N N	ı⊤EM		STOCK NUMBER	8		- I	TOTAL	NET CH	CHANGE	
Apr	Charge	NUMBER	CLASS	SERIAL NO.	PART NO.	ONDER OCHAIGRE ONDER		PRICE	DEBIT	CREDIT	A m.
oroved	From	59 /			GPC-15 GPC-15	CONNECTOR (Gorn) GPL 105-141-15 3 CONNECTOR (Gorn) GPL 105-141-415 3	1.87	PRICE LATER	5.61 Jun	10152774	oroved
For R	From	33			בואובו בואובו	CONNECTOR (H.Hubble)GPL 105-153-2 3 CONNECTOR (H.Hubble)GPL 105-153-2 3	•20	PRICE LATER .60	09*	3	For R
eleas	From	85.1 85.1			RC3CF102J RC3CF102J	RESISTOR, Fixed (GPL 120-111-1025) 3 RESISTOR, Fixed (GPL 120-11-1025) 3	.19 .19	.57	•		ologo
e ⁴ 99		1 48			RC20GF152J	RESISTOR, Fixed (GPL 120-10-1525) 6	£.	ø.78	.78	2	- 10 <i>i</i>
99/09/	From ge To	27.	<u> </u>		RC20GF222J RC20GF222J	RESISTOR, Fixed (GPL 120-10-2225) 6 RESISTOR, Fixed (GPL 120-10-2225) 12	88	.36	, 36	:	001001
Shange Than	From ge To	93			RC20GF332J RC20GF332J	RESISTOR, Fixed (GPL 120-10-3325) 6 RESISTOR, Fixed (GPL 120-10-3325) 9	88	.54	, T	\$	no . CI
ASKDE	From ge To	3			RC20GF682J RC20GF682J	RESISTOR, Fixed (GPL 120-10-6825) 9 / RESISTOR, Fixed (GPL 120-10-6825) 12 /	88	.54	•18	2	A-RDF
281 B0	From ge To	104	·		RG20GF153J RC20GF153J	RESISTOR, Fixed (GPL 120-10-1535) RESISTOR, Fixed (GPL 120-10-1535)	8.8	.36	*18	2	001 D 0
150 160 160 160 160 160 160 160 160 160 16	From ge To	108			RC20GF223J RC20GF223J	RESISTOR, Fixed (GPL 120-10-2235) 9 RESISTOR, Fixed (GPL 120-10-2235) 12 \(\rightarrow\)	88	.54	318	mi 254	dago
0 <u>0</u> 090	From	211			RC30GF303K RC30GF303J	RESISTOR, Fixed (GPL 120-11-3031) 3 RESISTOR, Fixed (GPL 120-11-3035) 3 (.15	69.	21. 25. 25.	\$ 20 m	, , ,
Manual 07500	From ge To	7 211			RC20GF393J RC20GF393J	RESISTOR, Fixed (GPL 120-10-3935) 3	19	.57 1.14	.57 A	37.7	01800
	From 5e To	711			RC20GF473J RC20GF473J	RESISTOR, Fixed (GPL 120-10-4735) 3 RESISTOR, Fixed (GPL 120-10-4735) 9	88	.18 .54	•36	` `	04.7
	CODE	Р В В	1 1 1	TMENT ERING ADDED	CHANGE	PNC - PART NUMBER CHANGE TP - TYPOGRAPHICAL ERROR PR - PRICE REVISION	2 FIXED 3 CPF F	PRICE OR EST CONTRACTS	ESTIMATED COST		

PNA - Part Number Added

· · · ·	1 1 V.	14a	a. pa o,			1	no e					<i>></i>	- À	, ,	0004-7	
PAGES	res	CHANGE	CREDIT	pprov	red Fo	r Rele	ase 19	99/09	/08 ; C	1A-F	RD#81	B9087	723	9007	50004-7	
DATE 1,/29/58 PAGE ² OF ⁵	OF ARTICLE Navigation Depot Spares	NET CF	DEBIT	.30	15°	36.	₹. 7	ين 7	7 26.	.57	1.26	.18	£ 21°	, s 2,	23.43	ESTIMATED COST
	MODEL OF ARTICLE Radan Navigation	TOTAL	PRICE	30 60	.54 1.08	45.	.36	.18 .36	.36	.57	.36	36	3.07	30,	E LATER 23.43	OR
	TYPE OR MODEL PC-210A Radan	TINO	PRICE	01.	8.8	ક્રેફ્ર	% .	8.8	88	.19	ક્ર <u>ે</u> ક્રં	કૃંક <u>.</u>	1.29	.10 .16	PRI Œ	FIXED PRICE
f	ſĪ.	TOTAL	ORDER	8	9	2,5	927	mo	6	٣	6 27	96	w.w ;	mm	mm	3 6
ISIONS TO SPARE PARTS EXHIBIT	NO. RA1076 Exhibit D Dated 3/3/57 TO AMENDMENT NO.		PART NO.	RC3OGF683J RESISTOR, Fixed (GPL 120-11-6835) RC3OGF683J RESISTOR, Fixed (GPL 120-11-6835)	RC2OGF104J RESISTOR, Fixed (GPL 120-1045) RC2OGF104J RESISTOR, Fixed (GPL 120-1045)	RC2OGF154J RESISTOR, Fixed (GPL 120-10-1545) RC2OGF154J RESISTOR, Fixed (GPL 120-10-1545)	RC2OGF224J RESISTOR, Fixed (GPL 120-10-2245) RC2OGF224J RESISTOR, Fixed (GPL 120-10-2245)	RC2CGF334J RESISTOR, Fixed (GPL 120-10-3345) RC2CGF334J RESISTOR, Fixed (GPL 120-10-3345)	RC2GGF474J RESISTOR, Fixed (GPL 120-10-4745) RC2GGF474J RESISTOR, Fixed (GPL 120-10-4745)	RC30GF474J RESISTOR, Fixed (GPL 120-11-4745)	RC20GF105J RESISTOR, Fixed (GPL 120-10-1055) RC20GF105J RESISTOR, Fixed (GPL 120-10-1055)	RC20GF155J RESISTOR, Fixed (GPL 120-10-1555) RC2CGF155J RESISTOR, Fixed (GPL 120-10-1555)	120-39-242 RESISTOR, Fixed 2.67mil 2w 120-39-242 RESISTOR, Fixed 2.67mil 2w	RC2CGF395K RESISTOR, Fixed (GPL 120-10-3951) RC2CGF395J RESISTOR, Fixed (GPL 120-10-3955)	P & RESISTOR, DUAL POT .IK&IK+1062** 121-0557-2 RESISTOR, DUAL POT .IK&IK+1062**	PNC - PART NUMBER CHANGE CHANGE TP - TYPOGRAPHICAL ERROR PR - PRICE REVISION
TOXOTINGS OF	TO CONTRACT	STOCK NUMBER	S SERIAL NO.			· · · · · · · · · · · · · · · · · · ·									(1) 25419 @ 7.31 (1) 25419 @ 7.31	DEPARTMENT ENGINEERING CH PART ADDED
7 (05000	ONDER) N		CLASS	7	\	_}_		\	7	7	7	7		7	3 0	P F E
0 2 4 3 0	APPROVED 6/28/57	ITEM	NUMBER	129	7 tet	7777	150 150	158	163	165	171	175	180	182	21.8	<u>ц</u>
O ENSINO	ROVED 6,		CHANGE	Oname Trom	From se To	From se To	From e To	From ge To	From e To		From ge To	From ge To	From	From	From	CODE
A LAF	APP	, (-	change Change	QTY Chang	QTY Chang	Chang 69/09	QTY]	PA	QTY Chang	QTY Change	el El	PNC	¥ พ.ส. 50004-7	

PNA - Part Number Added

1				REVISIONS T	TO SPARE PARTS EXHIBIT				K.	
		01.	ſ		-	1		18	PAGE OF	PAGES
AMENDMENT (OR CHANG Approved 6/28/	۳ <u>۲</u>	IDMENT (OR CHANGE ORDER) NO. Approved 6/28/57	TO CONTRACT NO. RA1076	Exhibit D	Dated 3/3/57 TO AMENDMENT	EXHIBIT NO.	TYPE OR	MODEL OF ART PC-210A Rada	ARTICLE Radan Navigation Depot Spa	Jepot Spa
ITEM		•	STOCK NUMBER	SER		TOTAL	AL CONIT	TOTAL	NET CH	CHANGE
CHANGE NUMBER	α	CLASS	SERIAL NO.	PART NO.	NOMENCLATURE	ORDER	ER PRICE	PRICE	DEBIT	CREDIT dd
219		33	(1) 25419 @ 7.81 (1) 25419 (2)	121-0557-1	RESISTOR, DUAL POT .3K&7K+10%2w RESISTOR, DUAL POT .3K&7K+10%2w	mm	PR 7.81	PRICE LATER 23.43	23.43	ro ved f
221				JAN5726/6	ELECTRON TUBE (130-2-5726/6AL5W/6097)	97) .12	2.99	35.88		
221				JAN5726/6AL5W	/ ELECTRON TUBE (130-2-5726/6AL5W/6097)	97) 12	2,99	35,88	4	ą
235				138-81-1 138-81-2	FILTER, Low Pass 31KC Cutoff FILTER, Low Pass 31KC Cutoff		48.04 93.22	90°96 186°44	90.36	١.
245 245	-	357 (I) 357 (II)	18.603	121-0557-3	RESISTOR, DUAL POT 300&700 Ohm ±10% RESISTOR, DUAL POT 300&700 Ohm ±10%	3 S.	PR 9.81	PRICE LATER 29.43	29.43	
246 246				1-1702-B 1-1702-B	ATR REG VALVE (GPL P/N 257-1-1) AIR REG VALVE (GPL P/N 257-1-3)	mm	13.34	40.02 17.58	•	22. His
250				6411-28 6411-924	CROSS FEED & HYBRID ASSY CROSS FEED & HYBRID ASSY		1412.07 195.23	1412.07	<i>\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\</i>	1216.8E
253				103-1006-2 103-0006-2	CAPACITOR, Fixed 1.5-12.5 unf CAPACITOR, Fixed 1.5-12.5 unf	m m	PR - 99	PRICED LATER 2.97	2.97	, 3
254 254 254			·	X2068 X2068	CAPACITOR, Fixed CAPACITOR, Fixed	· M O	HA H	PRACED LATER	40457 ————————————————————————————————————	6.2
257 257	~ ~			105-2002-502	CAPACITOR, Fixed 7.5uuf.15% CAPACITOR, Fixed 7.5uuf 15%	<u> </u>	14.97 14.97	14.91	»«««««»»»»»	R0 00 9
259	~ ^			104-200 ² -134 104-2002-134	CAPACITOR, Fixed .000luf ±5% 300v CAPACITOR, Fixed .000luf ±5% 300v	<u> </u>	14.67 14.56	14.01	* 4	. Jan. 3.33
263	m m			104-1546-401	CAPACITOR, Fixed luuf 25% 200v CAPACITOR, Fixed luuf 25% 200v	99	1.79	10.74 10.74	<u> </u>	004-7
	<u> </u>	D - DEPAR E - ENGIN	TTMENT EERING ADDED	CHANGE	PNC - PART NUMBER CHANGE TP - TYPOGRAPHICAL ERROR PR - PRICE REVISION		2 FIXED PI	PRICE OR ES'	ESTIMATED COST	

PNA - Part Number Added

25.01 26.06 5.01 27.00 5.01 5.01 5.01 5.02 5.03 5.03 5.03 5.03 5.03 5.04 5.05 5.0	- 1					REVISIONS T	TO SPARE PARTS EXHIBIT				DATE 4/29/58	PAGES	
SERIAL NO. PART NO	12 ^	TOVED (5/28/57	RDER) NO.		Exhibit D	3/3/57 REVISION 1 TO TO AMENDMENT		OR 1	1	CLE Lon Depot Spa	res	ι – 1
From 272	41		TEN.		I (n	α		TOTAL	TIND	TOTAL		ANGE	
Prom 272 118-33-1 CONNECTOR (1.0.6.) Prom 272 13.34 10.02 13.34 10.02 13.34 10.02 13.34 10.02 13.34 10.02 13.34 10.02 13.34 13.06 13.34 13		CHANGE	NUMBER	CLASS	ļ			ORDER	PRICE	PRICE	DEBIT	CREDIT	Арр
From 286.1		From	272			6411-44 118-33-1	12 70.26 10.28 n. St.	mm	13.34 13.06	40.02 39.18		178.	r a vod I
From 282 Col. NEUTRALIZING Col. NEUTRALIZING Sep.	Ψ.	From To	280 280.1			6411-193-1	Tital	mm'	3.87	5,55	90*9		For Rele
From 300 6411-241 MAGNETRON (Litton Inds. 13081) 1 774,62 3998,48 846.01 130-27-1 MAGNETRON (Litton Inds. 13081) 3 774,62 322,86 846.01 846.01 130-27-1 130-27-1 MAGNETRON (Litton Inds. 13081) 1 846.01 846		From	282 282 .1	35 (5)	426/62=4	6411-193-3		mm	2.28	6.84 1.26		2,58	
Story Stor		Œ				6411-241 6411-241	ETRON (Litton Inds. ETRON (Littom Inds.	34	774.62 774.62	3098.48 2323.86		774.62	999/09
317	·		300,1			130-7-1	ETRON	-1	846.01	846.01	846.01		/08 :
324 (1) 15(4) 6.5 ft. 120-51-6825 RESISTOR, Fixed 6.8K±5%lw 3 .52 l.56 l.56 l.56 l.56 l.56 l.56 l.56 l.56		From	317			6411-906 130-8-1		mm	220.09 227.77	660 . 27 683.31	Auraia 27,436		CIA-F
326 (1) 15% (2.51 M²		From	324 324 (276	6.52 .0.52	120-51-6825	STOR, STOR,	mm	PRIC •52	Ä	1,56		RDP81
STATE 121-0015-13 RESISTOR, Variable 25,000 Ohms‡w T.I.C. 3 PRIGE LATER ALC 1.29 PRIGE LATER To.29 T		From	326 326 326	25. LS	75.00	120-51-4735	STOR, Fixed STOR, Fixed	mm	PRI (A	1.56		B0087
368 368 368 368 3100-14-1 SYNCHRO (Kearfott) R-801-14 388 389 1160-16 THANSFORMER TRANSFORMER D - DEPARTMENT D - DEPARTMENT D - DEPARTMENT E - ENGINEERING CHANGE TP - TYPOGRAPHICAL ERROR STIMATED STIMATED 26.22 78.66 8.99 27.77 87.51 25.72-07 87.55 25.17 87.51 25.72-07 87.51 25.72-07 87.51 25.72-07 87.51 25.72-07 87.51 25.72-07 87.51 25.72-07 87.51 25.72-07 87.51 25.72-07 87.51 25.72-07 87.51 25.72-07 87.51 25.72-07 87.51 25.72-07 87.65 87.65 26.72-07 87.65 26.72-07 87.65 26.72-07 87.65 26.72-07 87.65 26.72-07 87.65 26.72-07 87.65 26.72-07 87.65 26.72-07 87.65 26.72-07 87.65 26.72-07 87.65 26.72-07 87.65 26.72-07 87.65 26.73-07 87.65 26		From	348 348			121-0015-13	STOR, Variable 25,000 Ohmsāw STOR, Variable 25,000 Ohmsāw	m m	PRI (23•43	LATER 70,29	8	S ";	'9R0 Ō
383 383 146-106 TRANSFORMER D - DEPARTMENT D - DEPARTMENT E - ENGINEERING CHANGE TRANSFORMER 3 26.22 78.66 8.86 4.751 25.42 TASSECTION TRANSFORMER TRANSF		From	368 368			1-41-011 6010-46	(Kearfott) (Kearfott)	mm	69°90† 700°69	1220.07 1220.07	7		90015
D - DEPARTMENT PNC - PART NUMBER CHANGE 2 FIXED PRICE OR ESTIMATED E - ENGINEERING CHANGE TP - TYPOGRAPHICAL ERROR 3 CP F CONTRACTS A PART NUMBER CHANGE 2 FIXED PRICE OR ESTIMATED A PART NUMBER CHANGE 2 FIXED PRICE OR ESTIMATED A PART NUMBER CHANGE 2 FIXED PRICE OR ESTIMATED		From	383 383			146-106 146-106-1	TRANSFORMER TRANSFORMER	m m	26.22 29.17	78.66 87.51	B. ian. 2. 8. 85. 25. 62. 8. 62. 62. 62. 62. 62. 62. 62. 62. 62. 62	1	0004-7
		CODE		1 1	TMENT		- PART NUMBER - TYPOGRAPHICAL - PRICF REVISION			OR			

PR - PRICE REVISION
PNA - Part Number Added

TYPE OR MODEL OF ARTICLE TOTAL TOTAL TOTAL TOTAL TOTAL ORDER TOTAL TOTAL ORDER O					REVISIONS T	TO SPARE PARTS EXHIBIT	_				PAGE 5 OF	PAGES
Transformer Transformer Total	ENDMENT	OR CHANGE (ORDER) NC	TO CONTRACT	Exhibit	Dated 3/3/57 TO	1 TO		YPE OR MO PC-210A R	DEL OF ARTI		ares
Nower Code					.R			TOTAL	1		NET	ANGE
The color 14			CLASS	SERIAL		NOMENCLAT	-		PRICE	PRICE	ı	CREDIT
Transporter	From	384 384	25445		146-105 146-105-1			1	55.03 86.16	165.09 258.48	93.39	
Prop. 397 France Gilgo HOSE CIAMP, (Ideal Corp.) 66 FRICE LAFTER 1.98 1.99			:		146-108 146-108-1		gnetron gnetron	m m	53.01 52.44	159.03		9. Kens.
From 398 House Glamp, (Ideal Corp.) 6 PRI CE LATTR 2.34 2.34 2.34 2.34 2.34 402 402 403 Clamp, (Ideal Corp.) 6 .39 2.34 2.34 2.34 2.34 402 402 403 Clamp, (Ideal Corp.) 6 2.54 15.24					6420 6420	CLAMP,) 234)	99	PRICE •33	LATER 1.98	1.98	
Property Log Property Pro					6432 6432	CLAMP,) 266)	99	PRI CE	LATER 2.34	2.34	
20 305 RELAY, 28V Goil (Allied Control) 3 20.82 62.46 62.46					AN3106-20-22P AN3106B-20-22P	CONNECTOR (GPL 105-19-076	(05	99	PRI CE 2.54	1.4 Ter 15.24	15.24	
238 AN3106B-20-235 CONNECTOR (GPL 105-19-00771) 12 2.28 13.68 13					кнбр 119-40-1	, 28V Coil	Sontrol)	m m	PRICE 20.82	1.ATER 62.16	62,16	
From 238 To 238 To 238 To 238 To 238 To 238 To 24 To 25 To 2					AN3106B-20-235 AN3106B-20-235	(GPL	(177) (17)	12 6	2.28	13.68 27.36	13.68	
NET CREDIT————————————————————————————————————	Œ		V		119-35-4 119-35-4			m = 3	19.11	57.33 76.14	mg 11.61	24. 18.25.
D - DEPARTMENT D - DEPARTMENT D - DEPARTMENT D - DEPARTMENT COTAL CREDIT						NET CREDIT						0.00
D - DEPARTMENT E - ENGINEERING CHANGE TP - TYPOGRAPHICAL ERROR 2 FIXED PRICE OR ESTIMATED	·			:		NET DEBIT TOTAL CREDIT					\$1350,5625	69.1
	CODE		1 1			- PART NUMBER - TYPOGRAPHICAL	GE	2 FI		8	ļ	